


2/3" 0.8x (0.69x ~ 0.88x) TELECENTRIC				
MAGNIFICATION		0.8x	0.88x	0.69x
N.A.(OBJECT)		0.097	0.130	0.080
ELEMENT		8GROUPS 11ELEMENTS		
IMAGE SIZE		6.6x8.8mm	6.6x8.8mm	6.6x8.8mm
SHOOTING RANGE	VERTICAL	8.2mm	7.5mm	9.6mm
	HORIZONTAL	11.0mm	10.0mm	12.7mm
	DIAMETER	13.7mm	12.5mm	15.9mm
DISTORTION	(TV)	-0.009%	0.005%	-0.001%
WORKING DISTANCE		111.0mm	111.0mm	111.0mm
FLANGE BACK		17.526mm in air		
FRONT/REAR EFFECTIVE DIA.		FRONT ϕ 30.0mm REAR ϕ 14.0mm		
MOUNT		C-MOUNT		
EXIT PUPIL		-166.5mm	-381.4mm	-75.6mm
TEMPERATURE RANGE		-10~+50 ° C		
STORAGE TEMPERATURE RANGE		-20~+60 ° C		
TELECENTRICITY		99%		
WEIGHT		290g		




		尺度	1/2	承認	Y	製	T
		機種名	0.8x VARIFOCAL TELECENTRIC LENS				
		機種番	LM1123TC				
2014.05.01	作成年月日						

Transmission (%)




LM1123TC


MTF 0.88x




Distortion 0.88x




MTF 0.8x



Distortion 0.8x



MTF 0.69x



Distortion 0.69x

