

1" 1.8 / 16mm C	1"	2/3"	1/1.8"
FOCAL LENGTH	f=16mm		
MAX. DIAMETER (RATIO)	F=1:1.8~16		
ELEMENT	9 GROUPS	11 ELEMENTS	
PICTURE SIZE	12.8×9.6mm		
ANGLE	VER. ANGLE	33.6°	23.3°
	HOR. ANGLE	44.0°	30.9°
	DIA. ANGLE	53.7°	38.2°
DISTORTION (TV)	0.02%		
SHOOTING RANGE AT	VER.	69.9mm	48.0mm
MINIMUM FOCUS	HOR.	93.5mm	64.0mm
DISTANCE	DIA.	117.1mm	80.2mm
MINIMUM FOCUS DISTANCE		0.1m	
FLANGE BACK		17.526mm in air	
BACK FOCUS		13.0mm in air	
FILTER SCREW SIZE		M34×0.5	
FRONT/REAR EFFECTIVE DIA.		FRONT φ27mm	REAR φ16.5mm
MOUNT		C-MOUNT	
EXIT PUPIL		-38.0mm	
TEMPERATURE RANGE		-10~+50°C	
STORAGE TEMPERATURE RANGE		-20~+60°C	
RESOLUTION CENTER/CORNER		CENTER 160本/mm	CORNER 120本/mm
LENS COATING		WIDE BAND MULTI COATING	
WEIGHT		240g	

NOTE: Specifications and availability are subject to change without notice
 注)本仕様については、予告なしに変更する場合があります。


		尺寸	1/1	工場番号
				SC1101
2014.4.3	F値修正(16~22)	機種名	1" F1.8 f=16mm	
2013.11.12	更新	機種番	LM16SC 外観図	
2013.4.15	作成年月日			






LM16SC Distortion

Object : Infinity




Object : 300mm





Object : 100mm






LM16SC MTF


Object : Infinity

F1.8



Object : 300mm


F1.8





Object : 100mm


F1.8





LM16SC Relative Illumination

Object : Infinity





LM16SC Transmission

