

2/3" 1.6/25mm C		1/2"	1/3"
FOCAL LENGTH		f=25mm	
MAX. DIAMETER (RATIO)		F=1:1.6~16	
ELEMENT		5 Elements in 5 Groups	
PICTURE SIZE		6.6x8.8mm	3.6x4.8
ANGLE	VER. ANGLE	15.7°	8.6°
	HOR. ANGLE	21.0°	11.5°
	DIA. ANGLE	26.3°	14.3°
DISTORTION (TV)		-0.6%	-0.1%
SHOOTING RANGE AT	VER.	89mm	48mm
MINIMUM FOCUS	HOR.	119mm	64mm
DISTANCE	DIA.	150mm	80mm
MINIMUM FOCUS DISTANCE		0.2m	0.3m 性能保証範囲
FLANGE BACK		17.526 ± 0.13 mm in air	
BACK FOCUS		10.32mm in air	
FILTER SCREW SIZE		M27x0.5	
FRONT/REAR EFFECTIVE DIA.		Front: \varnothing 14.6mm	Rear: \varnothing 10.7mm
MOUNT		C-MOUNT	
EXIT PUPIL		-26.2mm	
TEMPERATURE RANGE		-10~+50°C	
STORNG TEMPERATURE RANGE		-20~+60°C	
RESOLUTION CENTER/CORNER		Center 100line/mm	Corner 60line/mm
WEIGHT		58g	




		尺度 1/1	承認	製図
		機種名 LM25JC		
10.01.06	作図修正	機種番 2/3" 1.6/25mm		
04.12.21	作成年月日			



LM25JC

Object : Infinity

F1.6




Polychromatic Diffraction MTF

2013/02/19
Data for 0.4358 to 0.6563 μm .
Surface: Image

640 (LM25JC).ZMX
Configuration 1 of 3

Object : 300mm

F1.6




Polychromatic Diffraction MTF

2013/02/19
Data for 0.4358 to 0.6563 μm .
Surface: Image

640 (LM25JC).ZMX
Configuration 2 of 3



LM25JC (640) Transmission



LM25JC distortion

