

ø16 2.0/35mm C		
FOCAL LENGTH		f=35mm
MAX. DIAMETER (RATIO)		F=1:2.0~16
ELEMENT		6 GROUPS 8 ELEMENTS
PICTURE SIZE		12.8x9.6mm
ANGLE	VER. ANGLE	15.6°
	HOR. ANGLE	20.8°
	DIA. ANGLE	25.8°
DISTORTION (TV)		0.02%
SHOOTING RANGE AT	VER.	52.5mm
MINIMUM FOCUS	HOR.	70mm
DISTANCE	DIA.	87.5mm
MINIMUM FOCUS DISTANCE		0.2m
FLANGE BACK		17.526mm in air
BACK FOCUS		15.2mm in air
FILTER SCREW SIZE		M34x0.5
FRONT/REAR EFFECTIVE DIA.		FRONT ø26mm REAR ø16.9mm
MOUNT		C-MOUNT
EXIT PUPIL		-26.6mm
TEMPERATURE RANGE		-10~+50° C
STORAGE TEMPERATURE RANGE		-20~+60° C
RESOLUTION CENTER/CORNER		CENTER 160L/mm CORNER 120L/mm
LENS COATING		WIDE BAND MULTI COATING
WEIGHT		g

NOTE: Specifications and availability are subject to change without notice  
 注) 本仕様については、予告なしに変更する場合があります。




		尺 度	1/1	承 認	八木	製 図	大口
		LM35SC					
		1" F2.0 f=35mm					
2013.05.10	作成年月日						




### LM35SC Distortion

Object : Infinity




Object : 300mm





Object : 200mm






### LM35SC MTF


Object : Infinity

F2.0



Object : 300mm


F2.0





Object : 200mm


F2.0





### LM35SC Relative Illumination

Object : Infinity





LM35SC Transmission

