

2/3" 2.5/75mm C		1/2"	1/3"
FOCAL LENGTH		f=75mm	
MAX. DIAMETER (RATIO)		F=1:2.5~22	
ELEMENT		5 Elements in 5 Groups	
PICTURE SIZE		6.6x8.8mm	4.8x6.4
ANGLE	VER. ANGLE	5.0°	3.7°
	HOR. ANGLE	6.7°	4.9°
	DIA. ANGLE	8.3°	6.1°
DISTORTION (TV)		-0.1%	-0.08%
SHOOTING RANGE AT	VER.	38.1mm	27.7
	HOR.	50.8mm	37.0
	DIA.	63.5mm	46.2
MINIMUM FOCUS DISTANCE		1.2m	0.5m with adapter
FLANGE BACK		17.526 mm	in air
BACK FOCUS		18.0mm	in air
FILTER SCREW SIZE		M34.0x0.5	
FRONT/REAR EFFECTIVE DIA.		Front: Ø 30.2mm	Rear: Ø 12.4mm
MOUNT		C-MOUNT	
EXIT PUPIL		-38.9mm	
TEMPERATURE RANGE		-10~+45° C	
STORNG TEMPERATURE RANGE		-40~+60° C	
RESOLUTION CENTER/CORNER		Center 100line/mm	Corner 60line/mm
WEIGHT		105g	

注) 本仕様書については、予告なしに変更する場合があります。




		尺度	1/1	承認	杉田	製	入木
		機種名	LM75JC				
		機種番	2/3" F2.5 f=75mm				
04.12.22	作成年月日						



LM75JC


Object : Infinity

F2.5




Object : 1200mm

F2.5





LM75JC (947) Transmission



LM75JC distortion

