

SPECIFICATION

| | | | | | | |
|-------------------------|--|-----------------------|------------------------|----------------------|----------------------|----------------------|
| USE | 2/3" ($\phi 11\text{mm}$) | | | | | |
| FOCAL LENGTH | f=18~105mm | | | | | |
| IRIS RANGE | F=2.5-CLOSE | | | | | |
| IMAGE SIZE | 8.8x6.6mm ($\phi 11$) | | With 3Dpt.(330mm) | | With 3Dpt.(115mm) | |
| FIELD ANGLE | DIA. | (W) 34.1° (T) 5.9° | (W) (T) | (W) (T) | (W) (T) | (W) (T) |
| | HOR. | (W) 27.3° (T) 4.7° | (W) (T) | (W) (T) | (W) (T) | (W) (T) |
| | VER. | (W) 20.5° (T) 3.6° | (W) (T) | (W) (T) | (W) (T) | (W) (T) |
| FIELD OF VIEW AT M.O.D. | DIA. | (W) 83.7mm (T) 14.8mm | (W) 206.6mm (T) 35.4mm | (W) 54.7mm (T) 9.6mm | (W) 54.7mm (T) 9.6mm | (W) 54.7mm (T) 9.6mm |
| | HOR. | (W) 67.0mm (T) 11.7mm | (W) 165.4mm (T) 28.3mm | (W) 43.8mm (T) 7.6mm | (W) 43.8mm (T) 7.6mm | (W) 43.8mm (T) 7.6mm |
| | VER. | (W) 50.1mm (T) 9.0mm | (W) 123.8mm (T) 21.3mm | (W) 32.8mm (T) 5.9mm | (W) 32.8mm (T) 5.9mm | (W) 32.8mm (T) 5.9mm |
| DISTORTION (TV) | -0.3% | | -0.1% | | | |
| FOCUS RANGE | ∞ ~185mm (330mm~115mm) | | | | | |
| CREAR APERTURE | FRONT $\phi 44\text{mm}$ REAR $\phi 18.2\text{mm}$ | | | | | |
| EXIT PUPIL POSITION | -255.8mm, -256.0mm(3Dpt.) | | | | | |
| WEIGHT | 595 g | | | | | |



| | | |
|------------|------|---------------|
| | | MODEL NAME |
| | | 6X MACRO ZOOM |
| | | MODEL NUMBER |
| 2019.11.11 | Date | LMZ45T3 |




LMZ45T3

Working distance: 500mm

Wavelength: white light


Wide side



Working distance: 500mm

Wavelength: white light

Tele side





LMZ45T3 Transmission Data

