




2/3" 1.4/12mm C		1/2"	1/3"
FOCAL LENGTH		f=12mm	
MAX. DIAMETER (RATIO)		F=1:1.4~16	
ELEMENT		6 Elements in 6 Groups	
PICTURE SIZE		6.6x8.8mm	4.8x6.4 3.6x4.8
ANGLE	VER. ANGLE	31.7°	23.0° 17.2°
	HOR. ANGLE	42.5°	30.7° 23.0°
	DIA. ANGLE	53.7°	38.5° 28.8°
DISTORTION (TV)		-2.5%	-1.2% -0.6%
SHOOTING RANGE AT MINIMUM FOCUS DISTANCE	VER.	117mm	84mm 62mm
	HOR.	161mm	113mm 84mm
	DIA.	209mm	145mm 106mm
MINIMUM FOCUS DISTANCE		0.1m 0.2m	光学保証範囲
FLANGE BACK		17.526 mm	in air
BACK FOCUS		11.12mm	in air
FILTER SCREW SIZE		M27x0.5	
FRONT/REAR EFFECTIVE DIA.		Front: Ø 12.3mm	Rear: Ø 11.7mm
MOUNT		C-MOUNT	
EXIT PUPIL		-38.9mm	
TEMPERATURE RANGE		-10~+45°C	
STORNG TEMPERATURE RANGE		-40~+60°C	
RESOLUTION CENTER/CORNER		Center 100line/mm	Corner 60line/mm
WEIGHT		63g	

注) 本仕様書については、予告なしに変更する場合があります。




		尺 度	1/1	承 認	製 図
		機 種 名	LM12JC		
		機 種 番	2/3" 1.4/12mm		
04.12.21	作成年月日				



LM12JC (638)


Object : Infinity

F1.4




Object : 300mm

F1.4





LM12JC (638) Transmission



LM12JC distortion

