


	1/1.8"	1/2"	1/3"	
USE	FOR 1/1.8", 1/2", 1/3" MEGA CAMERA			
FOCAL LENGTH	f=14~500mm			
IRIS RANGE	F=2.9~30 (Tele:F5.5)			
IMAGE SIZE	5.4x7.2mm (φ9)	4.8x6.4mm (φ8)	3.6x4.8mm (φ6)	
FIELD ANGLE	DIA.	(w) 35.3° (T) 1.04°	(w) 31.5° (T) 0.92°	(w) 23.9° (T) 0.69°
	HOR.	(w) 28.1° (T) 0.83°	(w) 25.4° (T) 0.74°	(w) 19.2° (T) 0.55°
	VER.	(w) 21.5° (T) 0.62°	(w) 19.2° (T) 0.55°	(w) 14.4° (T) 0.42°
FOCUS RANGE	∞~10.0m			
FIELD OF VIEW AT M.O.D.	DIA.	(w) 6254mm (T) 179mm	(w) 5560mm (T) 159mm	(w) 4168mm (T) 119mm
	HOR.	(w) 5004mm (T) 143mm	(w) 4446mm (T) 127mm	(w) 3333mm (T) 95mm
	VER.	(w) 3750mm (T) 107mm	(w) 3333mm (T) 95mm	(w) 2498mm (T) 72mm
FLANGE BACK	17.526mm in air			
BACK FOCUS	15.8mm in air			
DISTORTION (TV)	(w)-0.03% (T) 0.13%	(w)-0.05% (T) 0.11%	(w)-0.05% (T) 0.06%	
CREAR APERTURE	FRONT φ96mm		REAR φ16.3mm	
EXIT PUPIL POSITION	94.4mm			
WEIGHT	2,700 g			


① DC (DIRECT CONTROL)

DRIVE COIL	RESISTOR	190 Ω (20°C)
	COLOR	RED(+) 3pin BLACK 4pin
BRAKE COIL	RESISTOR	1150 Ω (20°C)
	COLOR	YELLOW(+) 2pin GREEN 1pin
DRIVE VOLT.	OPEN	LESS THAN +4V
	CLOSE	OVER THAN 0V W/CLOSING SPRING



② MOTOR CABLE

(+)	GREEN	FOCUS NEAR
(+)	BLACK	FOCUS FAR
(+)	YELLOW	ZOOM IN
(+)	RED	ZOOM OUT




尺度	1/1	承認	八木	製	富永
機種名	1/1.8" 14-500mm/F2.9				
機種番	LMZ14500				
2016.06.07	作成年月日				




LMZ14500


f=14mm , Object:Infinity




f=28mm



f=252mm




f=500mm






LMZ14500


f=14mm , Object:Infinity




f=28mm



f=252mm




f=500mm






Transmission (%)





LMZ14500

f=14mm



f=500mm

