


		1/1.8"	1/2"	1/3"
USE	FOR 1/1.8", 1/2", 1/3" MEGA CAMERA			
FOCAL LENGTH	f=10~360mm			
IRIS RANGE	F=1.9~30 (Tele:F3.9)			
IMAGE SIZE	5.4x7.2mm (φ9)		4.8x6.4mm (φ8)	3.6x4.8mm (φ6)
FIELD ANGLE	DIA.	(w) 48.1° (T) 1.45°	(w) 43.3° (T) 1.30°	(w) 33.0° (T) 0.97°
	HOR.	(w) 39.1° (T) 1.16°	(w) 35.1° (T) 1.03°	(w) 26.6° (T) 0.77°
	VER.	(w) 29.8° (T) 0.87°	(w) 26.5° (T) 0.77°	(w) 20.0° (T) 0.58°
FOCUS RANGE	∞~10.0m			
FIELD OF VIEW AT M.O.D.	DIA.	(w) 8768mm (T) 250mm	(w) 7797mm (T) 222mm	(w) 5839mm (T) 167mm
	HOR.	(w) 7015mm (T) 200mm	(w) 6231mm (T) 178mm	(w) 4663mm (T) 133mm
	VER.	(w) 5251mm (T) 150mm	(w) 4663mm (T) 133mm	(w) 3491mm (T) 100mm
FLANGE BACK	17.526mm in air			
BACK FOCUS	15.9mm in air			
DISTORTION (TV)	(w) -0.3% (T) -0.04%	(w) -0.3% (T) -0.02%	(w) -0.3% (T) 0.00%	
CREAR APERTURE	FRONT φ96mm		REAR φ16.3mm	
EXIT PUPIL POSITION	152.3mm			
WEIGHT	T.B.D. g			


① DC (DIRECT CONTROL)

DRIVE COIL	RESISTOR	190Ω (20°C)
	COLOR	RED(+) 3pin BLACK 4pin
BRAKE COIL	RESISTOR	1150Ω (20°C)
	COLOR	YELLOW(+) 2pin GREEN 1pin
DRIVE VOLT.	OPEN	LESS THAN +4V
	CLOSE	OVER THAN 0V W/CLOSING SPRING



② MOTOR CABLE

- (+) GREEN FOCUS NEAR
- (+) BLACK FOCUS FAR
- (+) YELLOW ZOOM IN
- (+) RED ZOOM OUT




		尺度	1/1	承認	八木	製	富永
		機種名	1/1.8" 10-360mm/F1.9				
		機種番	S10-428				
2015.3.3	作成年月日						




LMZ10360


f=10mm , Object:Infinity




f=20mm



f=100mm




f=360mm






LMZ10360


f=10mm , Object:Infinity




f=20mm



f=100mm




f=360mm






Transmission (%)





### LMZ10360

f=10mm



f=360mm

