


1" 2.0/60mm C	1"	2/3"	2/3" 1088x2048 5.5 μm
FOCAL LENGTH	f=60mm		
MAX. DIAMETER (RATIO)	F=1:2.0~16		
ELEMENT	7 GROUPS 9 ELEMENTS		
PICTURE SIZE	9.6x12.8mm	6.6x8.8mm	6.0x11.3mm
ANGLE	VER. ANGLE	9.2°	6.3°
	HOR. ANGLE	12.2°	8.4°
	DIA. ANGLE	15.2°	10.5°
DISTORTION (TV)	-0.06%	-0.04%	-0.05%
MINIMUM FOCUS DISTANCE	1 m		
FLANGE BACK	17.526mm in air		
BACK FOCUS	15.7mm in air		
FILTER SCREW SIZE	M37.5x0.5		
FRONT/REAR EFFECTIVE DIA.	FRONT φ30.0mm		REAR φ19.0mm
MOUNT	C-MOUNT		
EXIT PUPIL	-161.9mm		
TEMPERATURE RANGE	-10~+50° C		
STORAGE TEMPERATURE RANGE	-20~+60° C		
LENS COATING	WIDE BAND MULTI COATING		
WEIGHT	200 g		

NOTE: Specifications and availability are subject to change without notice
 注) 本仕様については、予告なしに変更する場合があります。

		尺度	1/1	工場番号	1146
		機種名	1" F2.0 f=60mm		
		機種番	LM60HC-IR 外観図		
2016.9.21	作成年月日				




Polychromatic Diffraction MTF

LM60HC-IR (60mmF2)

Data for 0.4358 to 0.8500 μm .

Surface: Image



Relative Illumination

LM60HC-IR (60mmF2)

Wavelength: 0.587560 μm

Transmission (%)

